

Ch1: Introduction

305234

Algorithm Analysis and Design

Jiraporn Pooksook
Naresuan University


Experiences

- <https://mahasak.com/5-eh-tuph-lthiiph-maenan-amaih-developer-chaawaithyl-ngaipthamngaanthii-agoda/>
- <https://itopstory.com/what-why-and-type-big-o-notation-90a1a1d43596>

What is an Algorithm?

- An **algorithm** is any well-defined computational procedure that takes some value, or set of values, as input and produces some value, or set of values, as output for solving a particular problem.
- An algorithm is said to be **correct** if, for every input instance, it *halts* with the correct output.

Theory vs Implementation



Efficiency of an algorithm

- Accuracy
 - Giving a correct output for every input
- Running time
 - Taking fewest amount of time for finishing the running process

Example: Efficiency of algorithms

- Insertion sort takes time around c_1n^2
- Merge sort takes time around $c_2n\lg n$ ($\lg=\log_2$)

Computer A
 10^9 instructions/sec

$$\frac{2(10^6)^2 \text{ instructions}}{10^9 \text{ instructions / sec}} \\ = 2000 \text{ sec}$$

Computer B
 10^7 instructions/sec

$$\frac{50 \times 10^6 \lg 10^6 \text{ instructions}}{10^7 \text{ instructions / sec}} \\ = 100 \text{ sec}$$

Example: Efficiency of algorithms

Computer B runs 20 times faster than computer A because of applying faster algorithm.

and $c_1 n^2$

$c_2 n \lg n$ ($\lg = \log_2$)

Computer A
 10^9 instructions/sec

$$\frac{2(10^6)^2 \text{ instructions}}{10^9 \text{ instructions / sec}} = 2000 \text{ sec}$$

Computer B
 10^7 instructions/sec

$$\frac{50 \times 10^6 \lg 10^6 \text{ instructions}}{10^7 \text{ instructions / sec}} = 100 \text{ sec}$$

Algorithm Analysis

- Analyze the correctness of an algorithm
 - Using loop Invariants
- Analyze the running time of an algorithm
 - The upper bound on the running time for any input, using the growth of functions.